



#### **HIGHLIGHTS**

Engine: Versatile VX 950, 4-stroke big block, v-twin engine with Electronic Fuel Injection (EFI)

**Transmission:** ODG Admiral transmission with Argo Progressive Steering (APS)

**Drive System:** Instant Torque Drive System (ITDS) with Instant Torque Clutch (ITC)

All Terrain Amphibious Body: High-Density Polyethylene (HDPE) all-terrain amphibious body

Wheels & Tires: Steel Airlock<sup>TM</sup> wheels with 25" ARGO low pressure tires

Ground Clearance: 10" (254 mm)

**Seating Capacity:** 4 people – land, 4 people water

Axles: Axle bearing extensions standard

**ROPS:** Roll-Over Protective Structure

# 2023 AURORA **950 R**



#### **Engine**

Our highest horsepower engine ever released in an XTV chassis, the VX Series, 4-stroke EFI big block v-twin engine is an absolute brute when conquering every terrain imaginable. Capable and proven for both recreation and commercial applications, the VX 950 delivers consistent and reliable performance in all temperatures and climates.

#### **Transmission**

The ODG admiral transmission uses a sophisticated gearing system and dual differentials located on the output shafts. The braking force is applied to a steering differential vs. to the output shafts, translating into smoother and gentler steering.

#### **ITDS & ITC**

The ARGO Instant Torque Drive System (ITDS) delivers dramatically improved performance by coupling the trusted ARGO Instant Torque Clutch (ITC) with the bulletproof Admiral transmission to deliver increased acceleration and enhanced torque.









#### **Argo Progressive Steering (APS)**

Operated in conjunction with the Admiral transmission, APS adds a spring element between the handlebars and the brake system to deliver a progressive, dual-rate steering system that results in an easier, smoother turning motion that instills driver confidence while offering improved steering.

### Airlock™ Wheels with Low Pressure Tires

Innovative ARGO AirLock™ rims allow for lower tire pressure providing a 30% smoother ride. Paired with the low pressure XTV tires, an astonishing 1.5-psi tire pressure is achieved for a smoother, more comfortable ride over unruly terrain.

#### **All Terrain Amphibious Body**

The one-piece, high-density polyethylene (HDPE) lower body is ARGO's signature design feature. The smooth and durable underbody floats over potential snags, stumps and outcrops as well as wetlands and water courses, keeping water hazards out while delivering unparalleled stability and control.

#### **ROPS**

For unpredictable and extreme terrain, add additional protection for your ARGO XTV. Roll-over protective structure (ROPS) provides additional peace of mind when the terrain gets hairy.

## 2023 AURORA **950 R**



#### **ENGINE**

Cylinder V-Twin
Fuel System EFI
Cooling Fan Cooled
Alternator Output (max) 50 AMPS

#### **DRIVETRAIN**

ODG Admiral w/APS Transmission Type Standard Drive Belt. Hydraulic Service Brakes Hydraulic Steering Brakes Accessory Brake Cooling Fan Accessory Auto Chain Lubrication 25 mph (40 Km/h) Speed on Land N/A Speed on Water

### **DIMENSIONS/WEIGHT**

119 in (3,023 mm) Length Width 60 in (1,524 mm) Height 77 in (1,956 mm) Weight 1,700 lb. (771 kg) Load Capacity - Land 850 lb. (386 kg) Load Capacity - Water 650 lb. (295 kg) **Towing Capacity** 1,800 lb. (816 kg) **Fuel Capacity** 8.5 gal (32.2 L) Seating Capacity - Land Seating Capacity - Water 2

#### **TIRES & WHEELS**

ARGO Tires

Wheel

Steel Airlock
Ground Clearance – Tires

Ground Clearance – Tracks

10 in (254 mm)

11 in (279 mm)

Ground Pressure - Tracks

0.88 psi (6.1 kPa)

#### **FEATURES**

Front Rack Accessorv Brushquard Accessorv Winch Accessory Standard Full Skid Plate Bilge Pump Standard Entry Step Accessory Axle Bearing Extensions Standard ROPS Standard Rear Mesh N/A Roof N/A Stretcher Frame Accessory Cargo Box N/A Power Dump Box N/A

#### **COLORS**

Available Colors

Orange
Green
Black