800 XT-X







HIGHLIGHTS

Engine: Versatile VX Series, 4-stroke big block, v-twin engine with Electronic Fuel Injection (EFI)

Transmission: Admiral transmission

Drive System: Instant Torque Drive System (ITDS) with Instant Torque Clutch (ITC)

Lubrication System: Auto Chain Lubrication System

Wheels & Tires: Steel AirlockTM wheels with 25" mud tires

Heavy-Duty Oil Bath Axles: Heavy-duty 1.5" forged axles in oil bath housings

BOX: Solid steel power dump box with 1,000 lb. (454 kg) capacity

Commercial Grade: Heavy-duty front brushguard and 4,500 lb. winch

Cage: ROPS with roof and debris screen

2023 CONQUEST 800 XT-X



Engine

The versatile v-twin, 4-stroke KX engine is liquid-cooled and equipped with Electronic Fuel Injection (EFI). Capable and proven for both recreation and commercial applications, the KX delivers consistent and reliable performance in all temperatures and climates.

Transmission

The ODG admiral transmission uses a sophisticated gearing system and dual differentials located on the output shafts. The braking force is applied to a steering differential vs. to the output shafts, translating into smoother and gentler steering.

ITDS & ITC

The ARGO Instant Torque Drive System (ITDS) delivers dramatically improved performance by coupling the trusted ARGO Instant Torque Clutch (ITC) with the bulletproof Admiral transmission to deliver increased acceleration and enhanced torque.















Auto Chain Lubrication

Designed to automatically lubricate the reinforced drive chains after timed intervals of operation, operators obtain the peace of mind they deserve while properly lubricating the machine over extended periods of time.

Oil Bath Axles

Axles and axle bearings can be found in an oil filled maintenance free axle housing where the Outfitter's axles stand the test of time, eliminating the need for routine maintenance.

Alternator

Commercial grade alternator providing 60 amps of power to run auxiliary lighting and other power-hungry accessories on the job site.

XT-X Package

Equipped with roll-over protective structure (ROPS), roof, heavy-duty 4,500 lb. winch, commercial grade brushquard, rear debris screen and the solid steel power dump box with a 1,000 lb. load capacity, the XT-X series is the total package and one of the most capable commercial machines on any jobsite.

800 XT-X



ENGINE

Cylinder V-Twin
Fuel System EFI
Cooling Liquid Cooled
Alternator Output (max) 60 AMPS

DRIVETRAIN

ODG Admiral Transmission Type Standard Drive Belt. Hydraulic Service Brakes Hydraulic Steering Brakes Accessory Brake Cooling Fan Standard Auto Chain Lubrication 12 mph (19 Km/h) Speed on Land N/A Speed on Water

DIMENSIONS/WEIGHT

125 in (3,175 mm) Length Width 65 in (1,651 mm) Height 80.5 in (2,045 mm) Weight 2,252 lb. (1,021 kg) Load Capacity - Land 848 lb. (385 kg) Load Capacity - Water Not Amphibious **Towing Capacity** 2,000 lb. (907 kg) **Fuel Capacity** 8.5 gal (32 L) Seating Capacity - Land Seating Capacity - Water N/A

TIRES & WHEELS

ARGO Tires

Wheel

Steel Airlock

Ground Clearance – Tires

Ground Clearance – Tracks

10 in (254 mm)

Ground Pressure - Tracks

1.06 psi (7.3 kPa)

FEATURES

Front Rack Accessory Brushquard Standard Winch 4.500 lb. Full Skid Plate Standard Bilge Pump Standard Entry Step Accessory Axle Bearing Extensions N/A ROPS Standard Rear Mesh Standard Roof Standard Stretcher Frame N/A Cargo Box N/A Power Dump Box Standard

COLORS

Available Colors Green Industrial Yellow