# 2023 CONQUEST







# HIGHLIGHTS

Engine: Versatile VX 950, 4-stroke big block, v-twin engine with Electronic Fuel Injection (EFI)

Transmission: ODG Admiral transmission

**Drive System:** Instant Torque Drive System (ITDS) with Instant Torque Clutch (ITC)

Lubrication System: Auto Chain Lubrication System

Wheels & Tires: Steel Airlock<sup>™</sup> wheels with 25" mud tires

Heavy-Duty Oil Bath Axles: Heavy-duty 1.5" forged axles in oil bath housings

**Commercial Grade:** Heavy-duty front brushguard and 4,500 lb. winch

Cage: ROPS with roof and debris screen

# 2023 CONQUEST 950 XT-L



#### Engine

Our highest horsepower engine ever released in an XTV chassis, the VX 950, 4-stroke EFI big block v-twin engine is an absolute brute when conquering every terrain imaginable. Capable and proven for both recreation and commercial applications, the VX 950 delivers consistent and reliable performance in all temperatures and climates.

#### **Auto Chain Lubrication**

Designed to automatically lubricate the reinforced drive chains after timed intervals of operation, operators obtain the peace of mind they deserve while properly lubricating the machine over extended periods of time.

#### **Transmission**

The ODG admiral transmission uses a sophisticated gearing system and dual differentials located on the output shafts. The braking force is applied to a steering differential vs. to the output shafts, translating into smoother and gentler steering.

#### **Oil Bath Axles**

Axles and axle bearings can be found in an oil filled maintenance free axle housing where the Outfitter's axles stand the test of time, eliminating the need for routine maintenance.

#### **ITDS & ITC**

The ARGO Instant Torque Drive System (ITDS) delivers dramatically improved performance by coupling the trusted ARGO Instant Torque Clutch (ITC) with the bulletproof Admiral transmission to deliver increased acceleration and enhanced torque.







#### Alternator

Commercial grade alternator providing 60 amps of power to run auxiliary lighting and other power-hungry accessories on the job site.





#### **XT-L Package**

Equipped with roll-over protective structure (ROPS), roof, heavy-duty 4,500 lb. winch, commercial brushguard and rear debris screen, the XT-L series is proven to be one of the most capable commercial machines on any jobsite.

# **950 XT-L**



#### ENGINE

Cylinder Fuel System Cooling Alternator Output (max)

### DRIVETRAIN

Transmission Type Drive Belt Service Brakes Steering Brakes Brake Cooling Fan Auto Chain Lubrication Speed on Land Speed on Water

# DIMENSIONS/WEIGHT

Length Width Height Weight Load Capacity – Land Load Capacity – Water Towing Capacity Fuel Capacity Seating Capacity – Land Seating Capacity – Water V-Twin EFI Fan Cooled 50 AMPS

ODG Admiral Standard Hydraulic Hydraulic Accessory Standard 17 mph (26 Km/h) N/A

125 in (3,175 mm) 65 in (1,651 mm) 80.5 in (2,045 mm) 2,052 lb. (931 kg) 1,048 lb. (475 kg) Not Amphibious 2,000 lb. (907 kg) 8.5 gal (32 L) 2 N/A

# **TIRES & WHEELS**

ARGO Tires Wheel Ground Clearance – Tires Ground Clearance – Tracks Ground Pressure - Tracks

#### FEATURES

Front Rack Brushguard Winch Full Skid Plate Bilge Pump Entry Step Axle Bearing Extensions ROPS Rear Mesh Roof Stretcher Frame Cargo Box Power Dump Box

# **COLORS**

Available Colors

ARGO XT119 25X12-9 Steel Airlock 9 in (228 mm) 10 in (254 mm) 1.06 psi (7.3 kPa)

> Accessory Standard 4,500 lb. Standard Accessory N/A Standard Standard Standard N/A N/A Accessory

Green Industrial Yellow