# AMPHIBIOUS • ALL SEASON • ALL TERRAIN • SIX PASSENGERS



# SINCE 1967



# DEDICATED TO FREEDOM AND INDEPENDENCE

Begin your next adventure with the amphibious, all season, all-wheel drive, off-road ARGO. Go where your dreams lead you – through challenging terrain, over hills, even on water or snow. Unsurpassed in versatility and reliability, the ARGO carries you, your friends and supplies to those far away places. With ARGO, go ahead and dare to dream.

#### EASY STEERING



 Less engine power required to steer in high gear.
 Reduces the need to operate in low gear.



NEW MOSSY OAK INFINITY CAMO™



NEW HOOD SCOOP FOR FRONTIER MODELS



OPTIONAL GUN RACK PRO CONVENIENT AND SAFE ST





# BUILT TO OUTPERFORM IN EXTREME TERRAINS



OPTIONAL CARGO BEDLINER FEATURING EASY INSTALLATION AND REMOVAL

VIDES

ORAGE



OPTIONAL CHAIN LUBRICATION SYSTEM



OPTIONAL HIGH TORQUE TRANSMISSION FOR EXTREME TERRAIN PERFORMANCE

TD XTD



OPTIONAL ADJUSTABLE GAS CAN HOLDER AND SPARE TIRE MOUNT







# A R G O F L O A T S !



Fishing and waterfowl hunting enthusiasts agree that the ARGO is the better way to go. Unlike traditional off-road vehicles, the all terrain, amphibious ARGO floats without vehicle preparation and the special webbed tires actually work as linear propellers in water.









When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

# FOR THE ULTIMATE HUNTING EXPEDITION



Designed for those who truly appreciate the great outdoors, the amphibious ARGO is the essential off-road vehicle for hunting and exploration. ARGO allows you to travel with ease through the toughest conditions imaginable, including rugged terrain, hills, water, deep snow, and ice. Challenging terrain will suddenly become a pleasure to navigate and the ARGO's low ground pressure tires minimize the impact on the environment. So go on, spoil yourself. Take your friends and all the equipment you need to track the best game. You'll still have plenty of space to take home whatever you bag. As an amphibious all season vehicle, the ARGO combines many of the advantages you get from a snowmobile, 4x4 ATV, 6x6 UTV and a small boat.



www.jimshockey.com

# A R G O A T W O R K

The multi-passenger ARGO is the perfect vehicle for wilderness exploration, scenic tours, photo safaris and everything in-between. Outfitters, lodges and ecotour operators can now offer their customers a unique and reliable outdoor experience.

Take advantage of your ARGO to get the work done around your home, farm or woodlot. The rugged ARGO can tow and carry a load, and allows you to work in areas that would otherwise be inaccessible.







Environmental Impact: From the unique tread pattern of the tires to the low ground pressure, every ARGO model is designed to minimize its environmental footprint.

## **Forestry and Agriculture**

- Producing Maple Syrup Spraying
- Hauling Trailers Seeding and Feeding
- Plowing Snow Pulling Logs
- Transporting People and Supplies

## **Resorts, Outfitters and Ecotourism**

- Fishing and Hunting Lodges
- Support Vehicle Ice Fishing Operators
- Trail and Property Maintenance



# WHEN EVERY SECOND COUNTS, COUNT ON ARGO



ARGO Rescue Basket and Stretcher Solutions fit ARGO 700 HD and 750 HDi models and are designed for Ferno products.



# **Public Sector**

Many emergency tasks require the extra advantage that only the ARGO can provide. The all terrain ARGO 8x8 transports personnel and equipment to the accident site and evacuates the injured. Add the ARGO to your rescue fleet for the added assurance you need when the odds are stacked against you. Don't wait until your next emergency.

- Disaster Response
- Search & Rescue
- Emergency Medical Services
- Hazardous Materials
- Vector & Pest Control
- Firefighting & Prevention

# **Utilities and Resource Management**

Crews and equipment have to travel miles through challenging terrain to inspect power lines or prospect new drilling sites. Helicopters or expensive tracked vehicles may be able to get the job done, but at what cost? Today's cost conscious industry leaders rely on ARGO vehicles to get the job done in extreme terrain conditions.

- Line Construction and Maintenance
- Resource Exploration Geological Surveys
- Communications Equipment Management

**afety** *vays in Season* For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

# THE MOST VERSATILE OFF-ROAD VEHICLE IN THE WORLD

# **ARGO 8X8 HD models**

8-wheel drive amphibious off-road vehicles with an OHV V-Twin liquid cooled 748cc, 30 hp Kohler Aegis LH 775 electronic fuel-injected engine. It features effective throttle response, excellent fuel economy, reliable cold weather starting and outstanding high-altitude performance.

#### **PREMIUM FEATURES**

- Innovative triple differential ADMIRAL steering transmission, available as standard or high torque version, provides even torque to all 8 of the big 25" (635 mm) ARGO tires
- Increased efficiency results in more power to the wheels for optimum performance
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards
- Under seat storage and easy access to battery compartment
- Optional suspension seats (standard on 750 HDi Special Edition)

# ARGO 8X8 750 HDi Special Edition

All the features of the standard HD models plus:

- 3-way adjustable suspension seating with rear grab handles
- High / low beam headlights
- Signal / side marker lamps
- Front-mounted horn
- Side view mirror
- 7 pin trailer connection
- Heavy-duty alternator
- Entry step

## ARGO 8X8 750 EFi

All the features of the 750 HDi and value priced state-of-the-art automatic continuously variable transmission with high / low range forward and reverse.



79 in.

2005 mm

<u>119 in.</u> 3020 mm

30-1/2 in.

775 mm

43 in.

1090 mm

#### **ARGO Limited Warranty**

One year for vehicles, 3 years for Kohler engines and 2 years for Briggs & Stratton engines. Extended warranty plans available. Visit www.ARGOutv.com/warranty for details.

# 8X8 COMFORT FOR UP TO 6 PASSENGERS





## ARGO 8x8 700 HD

This 8-wheel drive amphibious off-road vehicle features an OHV V-Twin liquid cooled 674cc, 24 hp Kohler Aegis LH 690 engine with electronic ignition and solenoid shift starter.

Same premium features as 750 HDi.

## FOR 750 HDi AND 700 HD MODELS

## **STANDARD FEATURES**

- Contoured dash design
- Premium foam-padded, hinged, front bench seat (except 750 HDi Special Edition) with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- Excellent approach and departure angles to easily overcome obstacles
- Innovative design and seating for up to 6 passengers
- Meets all EPA and CARB "whole vehicle" standards and regulations
  Easy access to the engine compartment
- Load capacity of up to 1,150 lbs (521 kg) on land
- or 1,000 lbs (454 kg) on water

#### **STANDARD EQUIPMENT**

- LCD Digital Gauge Cluster\* (speedometer, tachometer, odometer, voltmeter, engine coolant temperature, plus low oil pressure and parking brake reminder lights) \* ARGO 750 HDi features an additional check engine light
- 25" (635 mm) ARGO tires for optimum traction, smooth ride and better water performance
- Front and rear axle bearing extensions for increased axle & bearing life
- Full skid plate for lower body protection
- Convenience group (12 volt outlet, cup holders, grab handle)
- Independent emergency, parking brake

## **ARGO 8x8 XT Models**

These 8-wheel drive amphibious off-road vehicles feature Kohler diesel or EFI engines plus ODG patented, triple differential, ADMIRAL transmissions. The main chassis of these vehicles has been engineered using field-proven technology, allowing for increased payloads and greater durability. For complete information on the ARGO 8x8 XT Models visit our Web site at www.ARGOutv.com/XTmodels.

**Safety!** ...always in Season!

For safety, we recommend wearing approved helmets and eye protection. When operating in water, always wear approved Personal Floatation Devices. Always remain seated while in the ARGO.

# EXPLORE EVERY FRONTIER

# **ARGO 8X8 FRONTIER 650**

An 8-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23 hp Cooler Cleaner Briggs & Stratton engine. It features front axle bearing extensions for increased axle and bearing life and has a load capacity of up to 1,000 lbs (454 kg) on land or 900 lbs (408 kg) on water.

- Heavy duty axles
- Large rear cargo capacity
- Long wheel base for increased ride comfort over rough terrain

# **ARGO 6X6 650 HD**

A 6-wheel drive amphibious off-road vehicle powered by a 4 cycle OHV V-Twin air cooled 627cc, 23hp, Briggs & Stratton Cooler Cleaner engine with 20/50 Amp charging system and electronic ignition. It has a load capacity of up to 700 lbs (317 kg) on land or 500 lbs (227 kg) on water.

- Innovative triple differential ADMIRAL steering transmission, providing even torque to all 6 of the 24" (610 mm) ARGO tires
- Improved engine compartment cooling
- Large triple sealed bearings
- Heavy duty axles
- Self-adjusting hydraulic vented disk brakes
- Easy-to-remove firewall and floor boards





Convenience Group Handlebar steering







Spacious design

# THE AFFORDABLE, ALL TERRAIN SOLUTION



ARGO 6X6 FRONTIER 580 shown with optional ultra chrome paint



Handlebar steering

Convenience Group

# tread lightly!\*

Every ARGO model is designed to minimize its environmental footprint.

\*Maximum load 6x6 rear compartment 140 lbs (65 kg).

## **ARGO 6X6 FRONTIER 580**

A 6-wheel drive amphibious off-road vehicle featuring a 4-cycle OHV V-Twin air cooled 570cc, 18 hp Briggs & Stratton engine and a load capacity of up to 700 lbs (317 kg) on land or 500 lbs (227 kg) on water. It can transport up to 4 passengers plus gear. Rear weight restriction.\*

• Heavy duty axles

# FOR ALL FRONTIER AND 6X6 HD MODELS

#### **STANDARD FEATURES**

- Contoured dash design
- Power to all wheels for optimum performance in challenging terrain
- Premium foam-padded, hinged, front bench seat with easy access to deep storage compartment / toolbox and battery
- One-piece ergonomic handlebar steering control
- All-wheel traction with low center of gravity for extra stability
- State-of-the-art automatic continuously variable transmission with high and low range forward and reverse (does not apply to 650 HD)
- Two-year limited engine warranty
- Low emissions

#### **STANDARD EQUIPMENT**

- LCD Digital Gauge Cluster (speedometer, odometer, hourmeter, tachometer, voltmeter, plus low oil pressure and parking brake reminder lights)
- 24" (610 mm) ARGO tires with special tread design
- Independent emergency, parking brake
- Back-up recoil starter
- Electronic ignition



ARGO 6X6 650 HD / 6X6 FRONTIER 580

# PERSONALIZE YOUR ARGO













<u>\_\_\_\_\_\_30-1/2 in.\_</u>| (775 mm)



SUPER TRACK: Add 1 in. (25 mm) to vehicle height RUBBER TRACK: Adds 1-1/4 in. (32 mm) to vehicle height CONV. TOP: 1-1/2 in. (38 mm) less than ROPS height

42-1/2 in. (1080 mm)

Vehicle shown with accessories, see specification page for base vehicle. (ARGO 8x8 750 HDi model shown)















#### COMFORT

#### **1** Convertible Top

Protects occupants from the weather. Has removable side and rear doors and stores folded down with boot cover. Requires folddown windshield. (Optional roll bar light cannot be used with full convertible top).

## **2** Convertible Half-Top

Protects operator and side passenger from the elements. Features removable side and rear doors, allowing easy access to the rear cargo compartment area. Requires fold-down windshield.

#### B Rear Bench Seat with Back Rest

For 8x8 models only. Features versatile forward or rear facing position for easy entry/exit when the vehicle is equipped with a convertible top. The seat is more comfortable due to greater foam thickness and density.

#### **4** Suspension Seats

3-way adjustable suspension seats for increased ride comfort.

#### **5** Windshield

Scratch-resistant acrylic in an aluminum frame, features mounting hole for the optional windshield wiper accessory.

#### **6** Windshield Wiper

Complete with everything needed to assemble and fit to your ARGO Windshield. The Wiper Motor mounts quickly and easily, requiring no drilling on newer style predrilled windshields.

#### CONVENIENCE

#### **Auto Chain Lubrication System**

(Not shown) Reduces maintenance requirements. Increases chain life.

#### Cargo Tie-Down Rings

(Not shown) Six rings mount around the rear compartment (four rings for 6x6 models).

#### Entry Step

Convenient and easy access to the vehicle. Can be mounted in four different positions.

#### 8 Gas Can Holder

Adjustable gas can holder mounted at the rear of the vehicle.

#### **9** Handrails

Tubular steel rails mount around the body, providing hand-hold points for rear passengers.

#### Helicopter Lift Kit

Axle mounted at 4 corners, quick release point for helicopter sling connection.

72 in. (1830 mm) + 60 in. (1525 mm)

In

43 in.

(1090 mm)

# ENHANCE PERFORMANCE AND VERSATILITY





#### **1** Outboard Motor Bracket

This one-piece bracket mounts at the bumper and onto the trailer hitch bracket. Mounting location is slightly off-center and accepts an outboard motor of up to 9.9 hp for increased propulsion in water.

#### **WARN Power Winch**

For vehicle recovery or to raise and lower plow blade. 3000 lbs (1364 kg) capacity, reversing with free wheeling out, 40' (12 m) cable with 30' (9 m) nylon strap. Safety switch disables winch unless ignition is on.

#### B Rear Receiver Winch Accessory

This bracket mounts into the 8x8 trailer hitch receiver, extending the versatility of your winch. Includes instructions and wire harness for installation.

#### Wireless Winch Remote Control

Wireless and compact, this unit can control remote use of winch from a location of up to 50' (15.24 m) for added convenience and versatility

#### **(D)** Snowplow Kit

81" (2 m) wide steel blade features multiangle positions. Attaches to front bearing extension housings. A snowplow will maximize the utilization of your ARGO. Note: Requires power winch.

#### Tire Holder

Convenient spare tire mount located at the rear of the vehicle.

#### Tow Hook

Ð

This versatile accessory is easy to install and allows winch cables or towing straps to be attached to your ARGO.

## Universal Mounting System

Ouick change, 750 lb (340 kg) capacity. universal mount. Bolts directly to main chassis offering a secure structure for third party equipment.

(Not shown) Positive battery cable interrupt

located under the driver seat. Disconnects

This accessory is highly recommended for

amphibious use of any ARGO. Operated by

removes water from the lower body.

battery to prevent accidental battery drain.

#### PROTECTION **Battery Shut-Off**

13 Bilge Pump

Cargo Bedliner





# installation, removable and easy to clean. **Brake Cooling Fan**

(Not shown) 105 CFM fan directing cool air to the service brakes.















#### 2 Brushguard

Installation of mounting assembly or power winch is required. The 8x8 700HD/750HDi Brushquard features an integrated tow hook and mounting tabs for fog light kit.

**4** Brushguard for ROPS Principally designed to be installed with the

ROPS

22 Brake/Tail Lights Brake / Tail lights, complete wire harness and all necessary mounting hardware.

#### 3 Fog Lights Provides added illumination in poor visibility due to rain, fog, dust or snow.

Hood Fan (Not shown) Extracts hot air from engine compartment (in extreme heat conditions).

#### Mudflaps (Not shown)

Deflects snow and mud out of rear cargo compartment. Stay dry and clean when navigating through challenging terrain. Mounts easily to lower body.

#### **2** Rollover Protection Structure

(ROPS) Powder-coated tubular steel frame provides rollover protection and seat belts for driver and front seat passenger.

#### **ROPS & Rear Bench Seat**

(Not shown) Protects the driver, front seat passenger, and two rear passengers by using the rollover protection structure. Includes rear bench and four seat belts.

Add a distinctive look to your ARGO. Protects driver and passenger. (Reduces seating capacity to 2). Comes with two seat belts and fits all 6x6 models.

#### 20 Roll Bar Lights

2 rubber mounted, shock resistant 3"x 5" (76 mm x 127 mm) weatherproof lamps, easily installed on your existing roll bar.

#### 22 Skid Plate

Formed from black high-density polyethylene to protect the lower body of the ARGO. Adding a skid plate to your ARGO will provide added insurance against lower body damage.

#### 23 Storage Protective Covers

Fits all production models without roll bar or ROPS.

#### 2 Amphibious Trailers

4-WHEEL 600 lb (275 kg) load capacity. 8-WHEEL 1400 lb (635kg) load capacity. Complete with 24" (610 mm) or 25" (635 mm) tires. Contact Retailer for more information.

#### 🛈 Utility Bracket

Two "Rugged Gear" utility hooks and barrel holder. Safely secures objects such as shovels, fishing rods, paddles, etc. to the outside or inside of your ARGO.

#### 🗿 Utility Rack

Two formed flatbar brackets, four "Rugged Gear" utility hooks, and mounting hardware. Allows two rifles or shotguns to be carried on the inside of your ARGO.

#### **1** Utility Storage Pouch

Dome snaps attach to backrest for convenient storage space. Ideal for keeping first aid kits, tools, electronics and other items safe, clean and easily accessible.

#### TRACKS

#### 3 18" (457 mm) Rubber Tracks

Lightweight and durable construction, combined with low rolling resistance to ensure smooth, quiet operation in most difficult terrain conditions. 18" (457 mm) track width provides optimum floatation and minimal around pressure while the tread design offers exceptional traction on various hard and soft surfaces

#### 3 13" (330 mm) Standard Tracks

13" (330 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, reducing ground pressure for travel over snow or flooded areas.

#### **5** 18" (457 mm) Super Tracks

18" (457 mm) wide thermoplastic rubber segments go over 24" (610 mm) ARGO tires, to provide optimum floatation over deep snow.

#### Ice Cleats for Tracks

(Not shown) Steel cleats increase traction on ice and hard-packed snow.

#### **SEARCH & RESCUE**

#### CO ARGO Mount Adapter Solutions

Designed to accept either Ferno RE 1125 or Ferno # 9. Fits ARGO 8x8 700 HD and 750 HDi models. Mount Adapter can be adjusted for repositioning of front bench seating. Front bench backrest is folded down when basket or stretcher are deployed.

Ferno Stretcher #9

Ferno Basket RE 1125

For information on ARGO 8x8 XTD & XTI accessories visit www.ARGOutv.com/XTmodels





	6 x 6					
ACCESSORIES	FRONTIER 580	650 HD	FRONTIER 650	8 3 700 HD	750 EFi 750 HDi	750 HDi SE
COMFORT					750 1101	
Convertible Top	649-51	649-51	849-51	849-40	849-40	849-40
Convertible Half-Top	N/A	N/A	N/A	849-45	849-45	849-45
Heater	N/A	N/A	N/A	848-170	848-170	848-170
Rear Bench Seat	N/A	N/A	849-80	849-80	849-80	849-80
Suspension Seats	N/A	N/A	N/A	*	*	Included
Windshield	648-79	648-79	648-79	848-171	848-171	848-171
Windshield Wiper	648-91	648-91	648-91	648-91	648-91	648-91
CONVENIENCE						
Alternator	N/A	N/A	N/A	850-54	850-54	Included
Auto Chain Lubrication System	N/A	N/A	N/A	850-213	850-213	850-213
Battery Shut Off	850-242	850-242 614-06	850-242	850-242	850-242	850-242
Cargo Tie Down Rings	614-06 N/A	614-06 N/A	614-06 848-173	614-06 848-173	614-06 848-173	614-06 Included
Entry Step Gas Can Holder	867-01	867-01	867-01	867-01	867-01	867-01
Handrails	639-26	639-26	839-35	839-30	839-30	839-30
Helicopter Lift Kit**	865-00	865-00	865-00	865-00	839-30	859-30
Mounting Assembly (Brushguard/Winch)	622-107	622-107	622-108	622-108	622-108	Included
Outboard Motor Bracket	617-09	617-09	617-10	617-10	617-10	617-10
Power Winch	622-110	622-110	622-105	622-105	622-105	622-105SE
Receiver Winch (Wiring & Rear Hitch)	622-96	622-96	622-96	622-96	622-96	622-96
Remote Control (Winch)	622-106	622-106	622-106	622-106	622-106	622-106
Snow Plow Kit	657-21 ***	657-21	657-21	657-21	657-21	657-21
Tire Holder	868-01	868-01	868-01	868-01	868-01	868-01
Tow Hook	642-00	642-00	642-00	642-00	642-00	Included
Trailer			CONTACT RETAIL	ER FOR OPTION	IS	
Universal Mounting System	N/A	N/A	959-10	959-10	959-10	959-10
Utility Bracket	821-25	821-25	821-25	821-25	821-25	N/A
Utility Rack	821-35	821-35	821-35	821-35	821-35	N/A
Utility Storage Pouch	621-35	621-35	621-35	621-35	621-35	621-35
PROTECTION						
Battery Shut Off	850-242	850-242	850-242	850-242	850-242	850-242
Bilge Pump	638-40	638-40	638-40	638-40	638-40	638-40
Brake Cooling Fan	N/A	N/A	N/A	864-01	864-01	864-01
Brake / Tail Lights	624-10	624-26	624-10	624-26	624-26	Included
Brushguard	642-50	642-50	642-50	642-49	642-49	Included
Brushguard for ROPS	642-80	642-80	642-80	642-80	642-80	N/A
Cargo Bedliner	N/A	N/A	866-01	866-01	866-01	866-01
Debris Screen	N/A	N/A	N/A	848-195	848-195	848-195
Fog Lights	648-92	648-92	648-92	648-92	648-92	648-92
Hood Fan	N/A	N/A	N/A	602-71	602-71	602-71
Mudflap Bouerce Back up Alarm Kit	N/A	N/A	625-10	625-10 850-99	625-10 850-99	625-10
Reverse Back-up Alarm Kit Roll Bar	850-99 648-15	850-99	850-99 N/A	850-99 N/A	850-99 N/A	850-99 N/A
		648-15 648-90	N/A N/A	N/A N/A	N/A N/A	N/A N/A
Roll Bar Lights ROPS c/w 2 Seat Belts	648-90 648-47	648-90 648-47	N/A 849-90-2	N/A 849-90-2	N/A 849-90-2	N/A N/A
ROPS & Rear Bench Seat	048-47 N/A	048-47 N/A	849-90-2 849-90-4	849-90-2	849-90-2	N/A N/A
Skid Plate	663-12	Included	863-13	Included	Included	Included
Storage Cover	621-21	621-21	821-40	821-40	821-40	821-40
TRACKS	021 21	021-21	021 40	021 40	021 40	021 40
18" (457 mm) Rubber Tracks	625-50	625-50	825-50-1	825-50-1	825-50-1	825-50-1
13" (330 mm) Standard Tracks****	615-43	615-43	815-42K	815-42K	815-42K	815-42K
18" (457 mm) Super Tracks****	625-43	625-43	825-42K	825-42K	825-42K	825-42K
Super Track Ice Cleats	625-20	625-20	825-20	825-20	825-20	825-20
Rubber Track Ice Cleats	N/A	N/A	825-21	825-21	825-21	825-21
SEARCH & RESCUE						
Basket Mount Adapter (Ferno RE 1125)*****	N/A	N/A	N/A	850-101	850-101	N/A
Stretcher Mount Adapter (Ferno #9)	N/A	N/A	N/A	850-100	850-100	N/A
Stretcher - Ferno #9	N/A	N/A		015-3204ARG		N/A
* Factory Installed Ontion **Requires 25	" Tiros *** Rom	uires Front Re	aring Extensions			

\* Factory Installed Option. \*\*Requires 25" Tires. \*\*\* Requires Front Bearing Extensions. \*\*\*\*Standard and Super Tracks require the use of ARGO AT189 24x10.00-8NHS Tires.

\*\*\*\*\* Requires Stretcher Mount Adapter (850-100)

# FOR THE ARGO ENTHUSIAST









**ARGO Personal Utility Vehicle DVD** 678-133 Includes the following ARGO videos: Models - 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series. Applications and capabilities as well as ARGO Rubicon Trail Challenge, ARGO Adventures, and Chile Volcano Expedition.

#### ARGO Hunting DVD

678-134 Experience the ultimate hunting vehicle: Models - 8x8 XT Models, 8x8 750 HDi, 8x8 700 HD, 6x6 650 HD and Frontier series, ARGO Hunting with Jim Shockey, Alan Warren, The Outdoor Quest, Southern and Outdoor Experience.

#### ARGO Commercial DVD

678-135 ARGO and Centaur at Work including detailed model information on ARGO 8x8 XT Models, 750 HDi, 8x8 700 HD, Frontier 8x8 650 and Centaur 8x8. Applications and capabilities.

#### ARGO Tri-lingual DVD

678-115 Experience extreme off-road performance with ARGO and Centaur. Contains ARGO 8x8 750 HDi, model overview, applications and capabilities in English, French and Spanish.

Availability and content subject to change without notice. For more information on all ARGO promotional items ask your local dealer or visit www.ARGOutv.com

**ARGO Clothing and Collectibles** Order online at www.ARGOgear.com



						VEHIO	CLE SPE	ECIFICA	TIONS		
		6 X 6 FRONTIER 580	6 X 6 650 HD	8 X 8 FRONTIER 650	8 X 8 700 HD	8 X 8 750 EFi	8 X 8 750 HDi	8 X 8 750 HDi SE	8 X 8 XTI		
NGINE		Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Briggs & Stratton Vanguard 2 year warranty	Kohler Aegis LH 690 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty	Kohler Aegis LH 775 3 year warranty		
YPE				4 cycle OHV V	/-Twin gasoline engine, electronic i	gnition, full pressure lubrication an	d oil filter				
ORSEPOWER		18	23	23	24	30	30	30	30		
ISPLACEMENT		570cc	627cc	627cc	674cc	748cc	748cc	748cc	748cc		
OOLING		Air Cooled	Air Cooled	Air Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled	Liquid Cooled		
TARTING		Electric/Recoil	Electric/Recoil	Electric/Recoil	Electric	Electric	Electric	Electric	Electric		
RAKES		Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic	Hydraulic		
TEERING		One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	One-piece, ergonomic handlebar	Multi-position, one-pie ergonomic handleba		
ONTROLS		Steering control features hand brake. For safety and ease of handling, the ARGO steering transmission provides continuous torque to all axles.									
LUTCH		Right-hand twist grip throttle and dash-mounted choke control (Except HDi models). Light switch and ignition switch. Belt-driven, Continuously Variable Transmission (CVT) maximizes engine power to the transmission.									
RANSMISSION		Planetary	ADMIRAL <sup>®</sup>	Planetary <sup>9</sup>	ADMIRAL <sup>®</sup>	Planetary <sup>9</sup>	ADMIRAL*	ADMIRAL*	ADMIRAL <sup>®</sup>		
RIVE SYSTEM		ridiletary	ADMINAL	Roller chains drive machined sprocke		,		ADMINAL	ADMINAL		
DDY		Formed steel channel construction, welded for high strength and durability. Polyester powder-coated for lasting protection.									
ULL SKID PLATE		Vacuum formed High Molecular Weight Polyethylene Optional Standard Optional Standard Standard Standard Standard Standard									
OAD CAPACITY	ON LAND	Optional 700 lbs / 317 kg total <sup>2</sup>	700 lbs / 317 kg total <sup>2</sup>	Optional 1,000 lbs / 454 kg total	Standard 1,150 lbs / 521 kg total	Standard 1,150 lbs / 521 kg total	1,150 lbs / 521 kg total	Standard 1,000 lbs / 454 kg total	Standard 1,500 lbs / 680 kg tot		
REAR COMP		140 lbs / 63 kg max. 500 lbs / 227 kg total	140 lbs / 63 kg max. 500 lbs / 227 kg total	900 lbs / 404 kg total	1,000 lbs / 454 kg total	1,000 lbs / 454 kg total	1,000 lbs / 454 kg total	850 lbs / 386 kg total	1,000 lbs / 000 kg tot  1,000 lbs / 454 kg tot		
DWING CAPACITY <sup>3</sup>		1,200 lbs / 545 kg	1,400 lbs / 635 kg	1,400 lbs / 635 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	1,800 lbs / 818 kg	2,000 lbs / 907 kg		
EATING CAPACITY⁴ C	ON LAND ON WATER	4 persons 2 persons	4 persons 2 persons	6 persons 4 persons	6 persons 4 persons	6 persons 4 persons	6 persons 4 persons	6 persons 4 persons	4 persons 4 persons		
UEL CAPACITY		7.1 US gallons (27 litres)See-through polyethylene fuel tank. 8 hours of operations9.5 U.S. gal. (8-10 hours of comparison8-10 hours of comparison8-10 hours of comparison									
PEED <sup>6</sup> O	ON LAND N WATER <sup>7</sup>	22 mph / 35 km per hour 3 mph / 5 km per hour	22 mph / 35 km per hour 3 mph / 5 km per hour	19 mph / 30 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	20 mph / 32 km per hour 3 mph / 5 km per hour	17 mph / 27 km per ho 3 mph / 5 km per hou		
HIPPING WEIGHT		850 lbs / 386 kg	900 lbs / 408 kg	1,050 lbs / 476 kg	1,250 lbs / 570 kg	1,250 lbs / 570 kg	1,260 lbs / 571 kg	1,410 lbs / 641 kg	1,600 lbs / 725 kg		
IMENSIONS (L x W x H	) (inches) (mm)	95 x 58 x 45.8 2,413 x 1,473 x 1,163	95 x 58 x 45.8 2,413 x 1,473 x 1,163	119 x 58 x 46.5 3,020 x 1,473 x 1,180	119 x 60 x 46 3,020 x 1,525 x 1,170	119 x 60 x 46 3,020 x 1,525 x 1,170	119 x 60 x 46 3,020 x 1,525 x 1,170	119 x 60 x 46 3,020 x 1,525 x 1,170	114 x 65 x 49 2,896 x 1,651 x 1,24		
XLE BEARING EXTENSI	ONS	Front - Optional Rear - N/A	Front - Standard Rear - Standard	Front - Standard Rear - Optional	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard	Front - Standard Rear - Standard		
ISTRUMENTATION		LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Low Oil Pressure and Parking Brake Reminder Lights			LCD Digital Gauge Cluster: Speedometer, Odometer, Voltmeter, Hour Meter, Tachometer, Engine Coolant Temperature, Low Oil Pressure and Parking Brake Reminder Lights (ARGO 8x8 750 HDi & 750 HDi SE also feature a Check Engine Light)				Analog Gauge Cluste (see Web site for detai		
RES		ARGO AT189 24x10.00-8NHS			ARGO AT189 25x12.00-9 NHS						
ROUND PRESSURE					1.7 psi (13.5 kPa) using tires 0.0	57 psi (4.6 kPa) using tracks					
ROUND CLEARANCE	TIRES TRACKS	9.5" (240 mm) 10.5" (265 mm)	9.5" (240 mm) 10.5" (265 mm)	9" (230 mm) 10" (255 mm)	9.5" (240 mm) 10.5" (265 mm)	9.5" (240 mm) 11" (279 mm)	9.5" (240 mm) 11" (279 mm)	9.5" (240 mm) 11" (279 mm)	9" (230 mm) 10" (255 mm)		
PERATING CONDITION	s				All weather, all terrain, -40°F t	o +104°F (-40°C to +40°C)					

- 2 Total payload is 700lbs with max. 140lbs allocated to rear compartment.
- Total payload is 700lbs with max. 140lbs allocated to rear compartment.
   Towing capacity is approximate and depends on type of surface, load on vehicle as well as incline. Max Hitch Tongue Load (when equipped with hitch) 100 lbs / 45kg for all models
   Subject to rear compartment load capacity limitations.
   Fuel consumption depends on load and operating conditions.
   All speeds are approximate and depend on conditions.
   Always wear approved Personal Floatation Device (PED) when operating in water or on ice.
   ADMIRAL triple differential steering transmission with dedicated Hi and Low selector; Forward, Neutral, Reverse.
   Planetary differential transmission with High and Low range; Forward, Neutral, Reverse

Black



Yellow

Appearance and specifications subject to change without notice.

Tundra



• Zinc / Textured Black • Zinc / Ultra Chrome CUSTOM COATINGS AND COLORS ARE AVAILABLE UPON REQUEST.

Blue

# A WORLD LEADER IN AMPHIBIOUS VEHICLES

ARGO is the best selling all season, off-road amphibian in the world! No other vehicle satisfies so many needs. Cottagers, outdoor enthusiasts, search & rescue teams, utility companies, surveyors, and farmers all benefit from ARGO's versatile and unique abilities. ARGO goes where others can't follow!

Since 1967, ARGO has been manufactured by ODG in New Hamburg, Ontario, Canada at ODG's 121,500 sq.ft. (11,350m<sup>2</sup>) facility. Our dedicated team of engineers, production and technical support staff has made ARGO **the most reliable**, **amphibious, off-road, utility vehicle** you will ever drive.







ODG 220 Bergey Court, New Hamburg, ON, Canada N3A 2J5 Toll Free: **1-877-274-6288** Tel: (519) 662-4000 • Fax: (519) 662-2421 **www.ARGOutv.com** 



WARNING: All operators appearing in this brochure are highly skilled ARGO drivers. The ARGO is a powerful off-road vehicle and can be dangerous if not properly operated or maintained. Before operating ARGO for this first time, read the ARGO Operator's Manual thoroughly to make certain all details and recommended driving procedures are clearly understood. Do NOT allow any individual to ride in or operate ARGO without first reading and clearly understanding the procedures outlined in the Operator's Manual. Do NOT allow any individual under 16 of ARGO. Do NOT operate ARGO. Do NOT attempt maneuvers on terrain beyond your skills or beyond the capabilities of ARGO. Do NOT operate ARGO on highways, or any other road system. For safety, we recommend wearing approved helmets and eye protection. When operating in water follow standard boating safety procedures, always wear approved Personal Floatation Devices, and do not stand in a floating ARGO. Operating your vehicle on ice-covered bodies of water can be dangerous. Always consult your ARGO Operator's Manual for detailed safety precautions. Follow all instructions that appear on the CAUTION and WARNING plates on ARGO. Do NOT exceed the recommended MAXIMUM load capacity under any circumstances. Do NOT operate ARGO unless all occupants are seated and all cargo is securely fastened down. Drive with CAUTION and good sense at all times.

**Authorized Dealer** 

ODG